Estuaries Vol. 21, No. 4B, p. 844–845 December 1998

Author Index, Volume 21

Abbe, G. R., 423
Abdelrhman, M. A., 435
Able, K. W., 470, 731
Aijaz, S., 246
Arnaud, M., 367

Baskaran, M., 839
Bastida, R. O., 690
Behr, P. J., 347
Bell, S. S., 294
Bergen, B. J., 435
Bianchi, T. S., 839
Biggs, D. C., 837
Bortolus, A., 710
Botto, F., 700
Botton, M. L., 340
Bouisset, P., 367
Brinsley, M. D., 552
Brockmann, U. H., 518
Brooks, G. R., 391
Brooks, J. M., 718
Brush, G. S., 407
Bryant, J. C., 416
Burkhart, C. A., 328
Buzzelli, C. P., 659, 673

Cabral, A. P., 635
Cady, R., 837
Campbell, B. C., 470
Campbell, L., 837
Carrete, M., 700
Chabreck, R. H., 416, 818
Charmasson, S., 367
Clarke, D. G., 230
Clesceri, N. L., 646
Cochran, J. K., 263
Cooper, J. E., 307
Cowan, J. L. W., 652
Currin, C. A., 108

Day, J. N., 52
Day, J. W., Jr., 52
De Castro, B. M., 204
De Frietas, P. S., 507
De Jonge, V. N., 527
Delhey, K., 700
De Miranda, L. B., 204
Donato, K., 646
Doyle, L. J., 391
Durbin, A. G., 449
Durbin, E. G., 449
Elliott, M., 552
Elwany, M. H. S., 246
Evers, D. E., 1
Eyre, B., 540

Feng, H., 263
Fisher, T. R., 215
Flemer, D. A., 145
Flick, R. E., 246
Flinn, M. H., 837
Folino, N. C., 829
Fuller, D. A., 1

Gabet, E. J., 745
Garcia-Romero, B., 718
Gibbs, M. M., 560
Gonzalez, T. I., 340
Gosselink, J. G., 1
Grant, A., 197
Grant, G. S., 361

Hagy, J. D., 215
Hannan, J. C., 29
Hare, J. A., 476
Harris, E., 837
Hauxwell, J., 347
Heip, C., 505
Hensel, P. F., 52
Hesse, K. J., 585
Hettler, Jr., W. F., 476
Hewitt, J., 129
Hirschberg, D. J., 263
Hodge, M., 340
Holohan, B. A., 466
Holst, H., 613
Holt, G. J., 318
Holt, S. A., 318
Houchin, L., 328

Ieno, E. N., 690
Iribarne, O., 700, 710
Isely, J. J., 307

Jackson, T. J., 718
Janzen, C. D., 754
Johnson, C. S., 837
Joint, I., 507
Jones, K. W., 646

Kirby-Smith, W. W., 361
Kjerfve, B., 204
Kleppel, G. S., 328
Klos, E. G., 466

Latimer, J. S., 91
Levin, L. A., 129
Linscombe, R. G., 818
Livingston, R. J., 145
Llanso, R. J., 294
Luker, S. A., 652

Manderson, J. P., 731
Martinez, M. M., 700, 710
McClelland, J., 347
McCormick-Ray, G., 784
McDonald, T. J., 718
McGlynn, S. E., 145
McKee, B. A., 379
McManus, J., 622
McTigue, T. A., 160
Meyers, M. B., 673
Middleton, R., 197
Mohanty, S., 255
Muller, S., 613

Nelson, W. G., 435

Olivier, F., 571
Ornolfsdottir, E. B., 837
Orth, R. J., 118
Osgood, D. T., 767
Oviatt, C. A., 466

Paerl, H. W., 108
Pasternack, G. B., 407
Pennock, J. R., 652
Perillo, G. M. E., 14
Piccolo, M. C., 14
Pont, D., 52
Pruchon, A.-S., 367
Purdie, D. A., 507

Quinn, J. G., 91

Radakovitch, O., 367
Ravichandran, M., 839
Rees, A. P., 507
Reible, D. D., 255
Retiere, C., 571
Riedel, G. F., 423
Riedel, G. F., 78
Rocha, C., 635
Rochelle-Newall, E., 215
Rooker, J. R., 318
Rulifson, R. A., 307
Rust, T. M., 66

Safi, K. A., 560
Salkeld, P. N., 552
Sanders, J. G., 78, 423
Sanzone, F. J., 66
Sasser, C. E., 1, 818
Schroeder, W. W., 652
Sericano, J. L., 718
Shaw, P. J., 507
Smith, S. V., 66
Soto, M. A., 318
Stephens, J. A., 597
Stern, E. A., 646
Studholme, A. L., 731
Swarzenski, P. W., 379

Talley, T. S., 129
Tenore, K. R., 505
Thibodeaux, L. J., 255
Thompson, P. A., 801
Thrush, S. F., 560
Tillmann, U., 585
Tomas, C., 328

Uncles, R. J., 597

Valiela, I., 347
Valsaraj, K. T., 255
Van Beusekom, J. E. E., 518, 527
Vant, W. N., 560
Visser, J. M., 1, 818
Vose, F. E., 294

Wade, T. L., 718

© 1998 Estuarine Research Federation

Estuaries Vol. 21, No. 4B, p. 844–845 December 1998

Author Index, Volume 21

Abbe, G. R., 423
Abdelrhman, M. A., 435
Able, K. W., 470, 731
Aijaz, S., 246
Arnaud, M., 367

Baskaran, M., 839
Bastida, R. O., 690
Behr, P. J., 347
Bell, S. S., 294
Bergen, B. J., 435
Bianchi, T. S., 839
Biggs, D. C., 837
Bortolus, A., 710
Botto, F., 700
Botton, M. L., 340
Bouisset, P., 367
Brinsley, M. D., 552
Brockmann, U. H., 518
Brooks, G. R., 391
Brooks, J. M., 718
Brush, G. S., 407
Bryant, J. C., 416
Burkhart, C. A., 328
Buzzelli, C. P., 659, 673

Cabral, A. P., 635
Cady, R., 837
Campbell, B. C., 470
Campbell, L., 837
Carrete, M., 700
Chabreck, R. H., 416, 818
Charmasson, S., 367
Clarke, D. G., 230
Clesceri, N. L., 646
Cochran, J. K., 263
Cooper, J. E., 307
Cowan, J. L. W., 652
Currin, C. A., 108

Day, J. N., 52
Day, J. W., Jr., 52
De Castro, B. M., 204
De Frietas, P. S., 507
De Jonge, V. N., 527
Delhey, K., 700
De Miranda, L. B., 204
Donato, K., 646
Doyle, L. J., 391
Durbin, A. G., 449
Durbin, E. G., 449
Elliott, M., 552
Elwany, M. H. S., 246
Evers, D. E., 1
Eyre, B., 540

Feng, H., 263
Fisher, T. R., 215
Flemer, D. A., 145
Flick, R. E., 246
Flinn, M. H., 837
Folino, N. C., 829
Fuller, D. A., 1

Gabet, E. J., 745
Garcia-Romero, B., 718
Gibbs, M. M., 560
Gonzalez, T. I., 340
Gosselink, J. G., 1
Grant, A., 197
Grant, G. S., 361

Hagy, J. D., 215
Hannan, J. C., 29
Hare, J. A., 476
Harris, E., 837
Hauxwell, J., 347
Heip, C., 505
Hensel, P. F., 52
Hesse, K. J., 585
Hettler, Jr., W. F., 476
Hewitt, J., 129
Hirschberg, D. J., 263
Hodge, M., 340
Holohan, B. A., 466
Holst, H., 613
Holt, G. J., 318
Holt, S. A., 318
Houchin, L., 328

Ieno, E. N., 690
Iribarne, O., 700, 710
Isely, J. J., 307

Jackson, T. J., 718
Janzen, C. D., 754
Johnson, C. S., 837
Joint, I., 507
Jones, K. W., 646

Kirby-Smith, W. W., 361
Kjerfve, B., 204
Kleppel, G. S., 328
Klos, E. G., 466

Latimer, J. S., 91
Levin, L. A., 129
Linscombe, R. G., 818
Livingston, R. J., 145
Llanso, R. J., 294
Luker, S. A., 652

Manderson, J. P., 731
Martinez, M. M., 700, 710
McClelland, J., 347
McCormick-Ray, G., 784
McDonald, T. J., 718
McGlynn, S. E., 145
McKee, B. A., 379
McManus, J., 622
McTigue, T. A., 160
Meyers, M. B., 673
Middleton, R., 197
Mohanty, S., 255
Muller, S., 613

Nelson, W. G., 435

Olivier, F., 571
Ornolfsdottir, E. B., 837
Orth, R. J., 118
Osgood, D. T., 767
Oviatt, C. A., 466

Paerl, H. W., 108
Pasternack, G. B., 407
Pennock, J. R., 652
Perillo, G. M. E., 14
Piccolo, M. C., 14
Pont, D., 52
Pruchon, A.-S., 367
Purdie, D. A., 507

Quinn, J. G., 91

Radakovitch, O., 367
Ravichandran, M., 839
Rees, A. P., 507
Reible, D. D., 255
Retiere, C., 571
Riedel, G. F., 423
Riedel, G. F., 78
Rocha, C., 635
Rochelle-Newall, E., 215
Rooker, J. R., 318
Rulifson, R. A., 307
Rust, T. M., 66

Safi, K. A., 560
Salkeld, P. N., 552
Sanders, J. G., 78, 423
Sanzone, F. J., 66
Sasser, C. E., 1, 818
Schroeder, W. W., 652
Sericano, J. L., 718
Shaw, P. J., 507
Smith, S. V., 66
Soto, M. A., 318
Stephens, J. A., 597
Stern, E. A., 646
Studholme, A. L., 731
Swarzenski, P. W., 379

Talley, T. S., 129
Tenore, K. R., 505
Thibodeaux, L. J., 255
Thompson, P. A., 801
Thrush, S. F., 560
Tillmann, U., 585
Tomas, C., 328

Uncles, R. J., 597

Valiela, I., 347
Valsaraj, K. T., 255
Van Beusekom, J. E. E., 518, 527
Vant, W. N., 560
Visser, J. M., 1, 818
Vose, F. E., 294

Wade, T. L., 718

© 1998 Estuarine Research Federation

Wetzel, R. L., 673
Whitehead, J. A., 281
Widdows, J., 552
Wilber, D. H., 230
Williams, R. J., 29
Williams, S. L., 118
Wilson, R. E., 263
Winslow, S. E., 307
Wiseman, Jr., W. J., 652
Wong, J. M., 718
Wong, K.-C., 754
Yund, P. O., 829
Zieman, J. C., 767
Zimmerman, R. J., 160
Zimmermann-Timm, H., 613

Estuaries Vol. 21, No. 4B, p. 846–851 December 1998

Subject Index, Volume 21

Abra alba, 571
Acartia tonsa, 328
Accipiter striatus, 361
accretion, 52
acetylene reduction, 108
Acrocnida brachiata, 571
Actitis macularia, 361
Agalinis maritima, 818
age estimates of fish, 307
aggregates, 613
Albermarle Sound, North Carolina, 307
algal blooms, 801
aliphatic petroleum, 91
Allens Island, Virginia, 118
allochthonous input, 560
Alternanthera philoxeroides, 818
Amaranthus australis, 818
Amazon River, 379
Ambassis jacksoniensis, 29
American black duck, 361
American crow, 361
American oyster, 652
American golden plover, 700
Ammodramus caudacutus, 361
ammonia, 449, 507, 635, 659, 767
amoeba, 613
Ampelisca sp., 294
amphipods, 294, 347, 571
anaerobic metabolism, 66
Anaheim Bay, California, 129
Anas discors, 361
Anas rubripes, 361
Anchoa mitchilli, 731
Anguilla rostrata, 731
Annelida, 571
annular flumes, 552
anoxia, 597, 652
anthracene, 646
Anuraeopsis fissa, 613
Aransas Estuary, Texas, 318
Ardea herodias, 361
Ardea alba, 361
Arenaria interpres, 361
Arenicola cristata, 294
arsenic, 78, 646
Argentinean estuaries, 700
Aricida suecica, 294
artemia, 160
Arthrocnemum, 52
Askenasia sp., 613
Aspidisca sp., 613
Aster, 622
Aster subulatus/tenuifolius, 818
Atchafalaya Bay, Louisiana, 1
Atchafalaya River, Louisiana, 818
Atherinidae, 29
Atherinomorus ogilbyi, 29
Atlantic Bight, 449
Atlantic croaker, 318, 476
Atlantic menhaden, 449, 476
atmospheric evasion, 66
atmospheric inputs, 215
Australian estuaries, 540
Avicennia germinans, 818
Axiothella, sp., 294

Baccharis halimifolia, 818
Bacopa monnieri, 818
bacteria, 597, 613
Bahia Blanca, Argentina, 700
Bahia Blanca Estuary, Argentina, 14
Bahia Samborombon, Argentina, 700
Bairdiella chrysoura, 318, 731
Balanion sp., 613
bank erosion, 745
Barataria Basin, Louisiana,
barn swallow, 361
barotropic current, 754
barotropic exchange, 754
Batis maritima, 818
Bayou Lafourche, Louisiana, 818
Beaufort Inlet, North Carolina, 476
belowground production, 767
benthic boundary layer, 571
benthic chambers, 66
benthic community, 160, 690
benthic consumption, 230
benthic flux, 66
benthic macrofauna, 784
benthic macroinvertebrates, 294
benthic production, 66, 230
benthic species, 700
benzo(a)anthracene, 646
Bertioga Channel, Sao Paulo, Brazil, 204
beryllium-7, 263
Bicosoeca sp., 613
Bidens laevis, 818
bioaccumulation, 340, 435
bioassay, 340
biocoenosis, 613
bioconcentration, 435
biodeposition, 552
bioenergetic model, 449
biogenic hydrocarbons, 91
biogeochemical sources, 673
biomass, 1
bioturbation, 255
bird exclosures, 710
bird populations, 361
bivalves, 552
Bivalvia, 571
black rail, 361
black skimmer, 361
black-bellied plover, 361
black-crowned night heron, 361
black-neck stilt, 361
Blackstone River, Rhode Island, 91
Blenniidae, 29
blue mussels, 435
blue-winged teal, 361
boat-tailed grackle, 361
bobolink, 361
Bodo designis, 613
Bodo saltans, 613
Bodo sp., 613
Bodomorpha minima, 613
Bolsa Chica Lagoon, California, 129
Borrichia frutescens, 818
bottom shear stress, 263
Brevoortia tyrannus, 449, 476
Broad Bay, Virginia, 118
brown shrimp, 160
bulltongue, 818
burrowing, 255
burrowing anemone, 466
Bush River, Maryland, 407
Butorides virescens, 361
butyltins, 718

Cabbagehead Bayou, Florida, 294
cadmium, 78, 263, 423, 646
Calidris fuscicollis, 700
Calidris mauri, 361
Calidris minutilla, 361
Calidris pusilla, 361
Calidris sp., 361
Cape Cod, 829
Capitellidae, 294
carbon, 659, 673
carbon cycling, 837, 839
carbon fixation, 585
carbon inputs, 215
carbon:nitrogen ratio, 635
carbonate sediments, 391
Cardinalis cardinalis, 361
Casco Bay, Maine, 829
Centropristis striata, 731
Cephalanthus occidentalis, 818
Ceratium sp., 613
Ceratonereis mirabilis, 294
Cercomonas sp., 613
Ceriantheopsis americanus, 466
cesium-134, 367
cesium-137, 367
Chaetodon ocellatus, 731
Chaetozone setosa, 571
Chaetura pelagica, 361
channel migration, 745
Charadrius falklandicus, 700
Charadrius semipalmatus, 361
Charlotte Harbor, Florida, 391
Chen caerulescens, 1
Chernobyl, 367
Chesapeake Bay, 118, 215, 407, 423, 659, 673, 784
chimney swift, 361
Chincoteague Bay, 118
chlordanes, 718
chlorophyll, 215, 507
chlorophyll *a*, 145, 673
Chordeiles minor, 361
chromium, 78, 646
chrysene, 646
ciliates, 613
Cinetochilum margaritaceum, 613
circulation, 204
circulation pattern, 14
Cistothorus palustris, 361
Cladium jamaicense, 818

© 1998 Estuarine Research Federation

Cladophora vagabunda, 347
cleanup, 646
Clupeidae, 29
cluster analysis, 690
coal mine wastes, 622
coastal flooding, 52
coastal lagoon, 754
coastal marsh, 416
coastal ocean, 754
coastal plain, 204
coastal pumping, 754
cobalt-60, 367
Cochliopodium sp., 613
Codonosiga sp., 613
Colaptes auratus, 361
Coleps hirtus, 613
common nighthawk, 361
community structure, 129
competitive interactions, 347
Conger oceanicus, 731
Conoclinium coelestinum/Eupatorium perfoliatum, 818
contaminant migration, 255
contaminants, 552
continental shelf, 281
copepod(s), 328, 466
copper, 78, 263, 423, 646
Corophium ellisi, 294
Corophium insidiosum, 690
Corvus brachyrhynchos, 361
Corvus ossifragus, 361
crankcase oil, 91
Crassostrea virginica, 423, 652, 784
Crustacea, 571
Cryptomonadida, 613
cumaceans, 571
current velocity, 552
currents, 652, 754
cutgrass, 818
Cyclaspis varians, 294
Cyclidium citrullus, 613
Cyclidium glaucoma, 613
Cymadusa compta, 347
Cynoscion nebulosus, 294, 318
Cyperus spp., 818

decapods, 294, 571
Decodon verticillatus, 818
decomposition, 518
decontamination, 646
Del Mar, California, 246
Delaware Bay, 754
Delaware River, 78
Delmarva Peninsula, 767
delta islands, 1
denitrification, 635
depth-dependent flow, 754
developing marsh, 767
diatoms, 613
dichlorodiphenyltrichloroethane, 718
Dichromena colorata, 818
Didinium sp., 613
dieldrin, 718
diet(s), 160, 328
dietary constituents, 328
dinoflagellates, 328, 585
dioxin, 646
dissolved elements, 78
dissolved inorganic nitrogen, 145, 673, 767
dissolved inorganic phosphate, 145, 518
dissolved nitrogen, 507, 527
dissolved nutrients, 507
dissolved organic carbon, 215, 673
dissolved oxygen, 597
dissolved phosphorus, 527
dissolved uranium, 379
Distichlis spicata, 361, 818
disturbance, 560
diversity index, 690
Dolichonyx oryzivorus, 361
Double Branch Bay, Florida, 294
Dowitcher sp., 361
dredge spoil, 361
dredged material, 646
dredged material disposal, 230
Dreissena polymorpha, 613
dynamic simulation, 673

eastern kingbird, 361
eastern oyster(s), 23, 784
Eastern Baie de Seine, (English Channel), 571
Echinocardium cordatum, 571
Echinochloa walteri/crusgalli, 818
Echinodermata, 571
ecosystem characterization, 659
eelgrass, 118, 347, 673
egg production, 328
Egretta caerulea, 361
Egretta thula, 361
Egretta tricolor, 361
Elbe Estuary, Germany, 518, 613
Eleocharis parvula, 818
Eleocharis spp., 818
Ems Estuary, Germany, 527
Enchytraeidae, 129
enchytraeids, 129
English Channel, 571
enrichment, 145
Eone normanni, 571
epibenthic predators, 230
epifaunal bivalves, 552
epiphyte, 673
epiphytic nitrogen fixation, 108
erosion, 745
estuarine cross sections, 14
estuarine-dependent fishes, 476
estuarine flows, 784
estuarine food chain, 340
estuarine outwelling, 540
estuarine sedimentation, 622
Etropus microstomus, 731
Eudocimus albus, 361
Euglena viridis, 613
Eupatorium capillifolium, 818
Euplotes sp., 613
European starling, 361
eutrophication, 673
evaporation, 281
exotic species, 129

Fabricola trilobata, 294
faunal variation, 129
Fimbristylis castanea, 818
fish, 29, 449, 466, 470, 476
fish crow, 361
fish feeding, 294
fish growth rates, 307
fish migration, 449
fish predation, 466
fisheries, 160, 230, 449, 470, 476, 731
flagellates, 613
flocculation, 540
Florida Bay, 328
fluorescence, 801
fluvial deposition, 391
flux, 14, 560
food environment, 328
food habits, 294, 307
food resources, 294
food web, 328
forcing conditions, 281
forest-marsh interactions, 407
Forster's tern, 361
fossil reef deposits, 652
freshwater discharges, 540
freshwater flows, 540
freshwater flux, 281
freshwater lens, 379
freshwater loss, 281
freshwater plankton, 215
freshwater plume, 540
freshwater runoff, 527
fringing environments, 659
Frontonia sp., 613
fuel oil, 91

Galveston Bay, Texas, 230, 718
Galveston Island, Texas, 160
gasoline, 91
Gastropoda, 571
genetic diversity, 118
geographical isolation, 118
geology, 391
geomorphology, 540
German Wadden Sea, 585
Gerres subfasciatus, 29
Glaucoma scintillans, 613
glossy ibis, 361
Gobiidae, 29
Gobiosoma ginsburgi, 731
Gobiosoma bosc., 731
gonadosomatic index, 470
Goodwin Islands, Virginia, 659, 673
grain-size normalization, 197
Grandidierella bonnieroides, 294
grazing, 1, 347, 449
grazing potential, 585
grazing pressure, 145
Great Bay, New Jersey, 470
great blue heron, 361
great egret, 361
greater yellowlegs, 361
green heron, 361
grid-cell area, 14
growth stimulation, 145
Gulf Coast, 818
Gulf flounder, 476
Gulf of Maine, 829
Gulf of Mexico, 379, 391, 416, 652, 718
gut analysis, 466
Gwynn Island, Virginia, 118

habitat utilization, 29, 318
Halodule wrightii, 318

Halteria sp., 613
hapacticoids, 466
Hargeria repax, 294
Harmothoe impar, 571
heavy metals, 78
herbicides, 646
herbivores, 1
herbivory, 347, 710
hermit crabs, 829
herring gull, 361
Heteromastus similis, 690, 700, 710
heterotrophic dinoflagellates, 585
Hibiscus lasiocarpus, 818
Hillsborough Bay, Florida, 391
Himantopus mexicanus, 361
Hirundo rustica, 361
Hobsonia florida, 294
Hog Island, Virginia, 767
Holocene, 391
horseshoe crab, 340
Hudson River Estuary, 263
Hudson River, New York, 731
Hudsonian godwit, 700
Humber Estuary, United Kingdom, 197, 507, 552
Humber-Ouse Estuary, United Kingdom, 597
hurricanes, 652
Hydractinia polyclina, 829
Hydractinia symbiolongicarpus, 829
hydraulic head gradients, 767
hydrocarbons, 91
Hydrocotyle spp., 818
hydrodynamics, 784
hydroid sibling species, 829
hydrology, 540
hypoxia, 597, 652
Hypsoblennius hentz, 731

ichthyoplankton sampling, 476
Idotea baltica, 347
impact of disposal, 230
import-export, 449
impounded marsh, 416
impounded wetlands, 52
impoundment, 416
in-filling history, 391
inbreeding coefficients, 118
Indian River Bay, Delaware, 754
indicator species, 818
industrial releases, 367
infauna, 160, 710
infaunal bivalve, 552
inlets, 281
inorganic nitrogen, 659
inorganic sedimentation, 52
intertidal mudflats, 552
interstitial water, 435
Ipomoea sagittata, 818
isopod, 347
isopod grazer, 347
Iva frutescens, 818

James River, Virginia, 118
Juncus, 52, 622, 818
Juncus roemerianus, 361
Justicia lanceolata, 1
juvenile fish(es), 731
juvenile marine fishes, 29

Kentrosiga thienemanni, 613
Keratella cochlearis, 613
Keratella cochlearis var. *tecta*, 613
kerosene, 91
Kosteletzkya virginica, 818

La Plata River, Argentina, 690
Laenoereis acuta, 690, 700
Laenoereis culveri, 294
Lagodon rhomboides, 476
lagoon, 29
lagoon inlet, 246
lagoon-spawning fishes, 29
Lake Macquarie, Southeast Australia, 29
Larus atricilla, 361
Larus argentatus, 361
larval fishes, 476
lateral migration, 745
Laterallus jamaicensis, 361
laughing gull, 361
lead, 78, 263, 646
lead-210, 263, 367, 635
least tern, 361
least sandpiper, 361
Leiostomus xanthurus, 318, 476
Leitoscoloplos fragilis, 294
Leptochloa fascicularis, 818
lesser yellowlegs, 361
life history characteristics, 470
life history, 470
light attenuation, 673
light-limited aquatic ecosystem, 801
Lymnobium spongia, 818
Limnodromus griseus, 361
Limnodromus sp., 361
Limosa haemastica, 700
Limulus polyphemus, 340
Linnonium carolinium, 767
Litonotus sp., 613
little blue heron, 361
Little Egg Harbor, New Jersey, 470
Little Sheepshead Creek, New Jersey, 470
littoral zone habitats, 659, 673
Lohmaniella sp., 613
Louisiana coastline, 416
low-frequency transport, 754
Ludwigia leptocarpa/peploides, 818
Lythrum lineare, 818

Macoma balthica, 552
macroalgal biomass, 347
macrobenthos, 129, 690
macroinvertebrates, 230
macrophytes, 659, 767
Magelona mirabilis, 571
maidencane, 818
management, 91, 160
management practices, 52
mangrove, 818
mangrove impoundment, 294
Manhattan, New York, 263
manmade structures, 731
Manukau Harbour, New Zealand, 560
Mar Chiquita, Argentina, 700, 710
marginal seas, 281
marsh comparison, 416
marsh development, 416
marsh evolution, 407
marsh plants, 407
marsh sediments, 108
marsh vegetation, 818
marsh wren, 361
Maryland National Estuarine Research Reserve, 407
mass-balance, 66
material exchange, 659
material flux, 552
Mediterranean Sea, 52, 367
megatidal conditions, 571
Menhaden predation, 449
Menidia menudia, 731
mercury, 646
Mergus serrator, 361
Mesodesma mactroides, 690
metal oxides, 379
metals, 78, 423
methane cycling, 66
methane distribution, 66
microalgal biomass, 659
microcosm, 145
Microdeutopus gryllotalpo, 347
Microgadus tomcod, 731
microorganisms, 613
microplankton, 585
Micropogonias undulatus, 318, 476
microtidal estuary, 391
microzooplankton, 328, 560
migratory shorebirds, 700
Mimus polyglottos, 361
mining process, 652
Mission Bay, California, 129
Mississippi River, 1, 379
Mississippi River delta, 818
mixing, 204
Mobile Bay, Alabama, 652
model development, 659
modeling, 435
modeling flux, 14
Mollusca, 571, 613
Monacanthidae, 29
monitoring, 230
Monosiga ovata, 613
Morone americana, 731
Morone saxatilis, 307, 731
Moshassuck River, Rhode Island, 91
mosquito larvae, 361
mourning dove, 361
mud flat, 622
Mugilidae, 29
Mullidae, 29
multiple T-S states, 281
muskrat, 1
mussel, 435
mussel bed densities, 552
Mussel Watch Program, 718
Myocastor coypus, 1
Myoxocephalus aeneus, 731
Myrica cerifera, 818
Mysella bidentata, 571
mysid shrimp, 307
mysids, 294
Mytilus edulis, 435, 552

nanoplankton, 328
Narragansett Bay, Rhode Island, 91, 449, 466
Nassarius reticulatus, 571

Natica alderi, 571
National Estuarine Research Reserve, 659, 673
National Status and Trends, 718
National Status and Trends Oysters, 718
National Status and Trends Program, 423
natural radionuclides, 263
Neanthes succinea, 700
neap tides, 204
nematodes, 613
Nematostella vectensis, 294
Nemertea, 571
Nephtys sp., 571
Nephtys fluviatilis, 700
New Bedford Harbor, Massachusetts, 435
New York-New Jersey, Port of, 646
nickel, 6, 78
nitrate, 507, 635, 659, 767
nitrate-nitrogen, 145
nitrification, 635
nitrogen, 145, 449, 527, 635, 659, 673
nitrogen budgets, 108
nitrogen excretion, 449
nitrogen fixation, 108
nitrogen flux, 527
nitrogen input(s), 527, 767
nitrogen limitation, 145
nitrogen load, 347
nitrogen sink, 659
North Sea, 527
northern mockingbird, 361
northern flicker, 361
northern cardinal, 361
northern pipefish, 470
Notholca acuminata, 613
Notholca labis, 613
Notholca squamula, 613
Notomastus sp., 571
nuclear weapons tests, 367
Nucula turgida, 571
Numenius phaeopus, 361
nursery habitats, 160, 731
nutria, 1
nutrient controls, 347
nutrient limitation, 145, 801
nutrient regeneration, 449
nutrient uptake, 507
nutrients, 145, 507, 518, 527, 552, 767
Nycticorax nycticorax, 361

occretion, 416
ocean-spawning fishes, 29
oil pollution, 91
Oligochaeta, 294
oligochaetes, 129, 255
Ondatra zibethicus, 1
open marsh water management, 361
Opsanus tau, 731
organic carbon, 66, 560
organic deposition, 407
organic matter, 416, 518
organic nutrients, 527
organic phosphate, 518, 527
organics, 435
organotin pollution, 340
osprey, 361
otoliths, 307
Otter Point Creek, Maryland, 407
outwelling, 540
Owenia fusiformis, 571
oxygen, 552, 635
oyster reefs, 784
oystergrass, 818
oysters, 423

P. lethostigma, 476
P. dentatus, 476
Pacific cordgrass, 129
Pacific mudflat, 129
Pagurus longicarpus, 829
Pandion haliaetus, 361
Panicum hemitomon, 818
Panicum sp., 818
Paradileptus elephantinus, 613
Paralichthys albigutta, 476
Paralichthys dentatus, 731
particulate nitrogen, 527
particulate organic carbon, 215, 673
particulate organic nitrogen, 145
particulate organic phosphorus, 145
particulate phosphorus, 518, 527
Paspalum distichum, 818
Patuxent River, Maryland, 423
Pawtuxet River, Rhode Island, 91
Pectinaria koreni, 571
peeps, 361
penaeid survival, 160
Penaeus setiferus, 160
Penaeus aztecus, 160
Peprilus triachanthus, 731
Perdido Bay, Alabama-Florida, 145
petroleum, 91
Phaeocystis globosa, 585
Pholoe minuta, 571
phosphate, 507, 635
phosphate-phosphorus, 145
phosphorus, 145, 518, 527
phosphorus flux, 527
phosphorus import, 527
phosphorus:iron ratio, 518
phosphorus limitation, 145
Phragmites, 52, 622
Phragmites australis, 818
Phyla lanceolata/nodiflora, 818
Phyllodoce lineata, 571
physical-biological coupling, 571
phytoplankton, 145, 215, 449, 518, 560, 659, 801
pigment biomarkers, 837, 839
pinfish, 476
pioneering plant species, 1
plankton populations, 449
plant communities, 818
Plegadis falcinellus, 361
Pluchea camphorata/foetida, 818
Pluvialis squatarola, 361
Pluvialis dominica, 700
pollution, 78, 91, 197, 230, 255, 263, 340, 347, 367, 379, 423, 435, 552, 646, 673, 718, 731
polyaromatic hydrocarbons, 718
Polychaeta, 571
polychaetes, 129, 160, 294, 690, 700, 710
polychaete densities, 700
polychlorinated biphenyls, 435, 646, 718
Polydora ligni, 690
Polygonum punctatum, 818
Pompholyx sulcata, 613
Pompholyx triloba, 613
population density, 466
porewater, 635
postsettlement patterns, 318
predation, 690
predator avoidance, 466
prey choice, 160
prey selection, 466
primary production, 215, 328, 347, 527, 560, 659, 673, 801
Prionospio heterobranchia, 294
Prionotus evolans, 731
Progne subis, 361
Pseudobodo sp., 613
Pseudopleuronectes americanus, 731
purple martin, 361

Quiscalus major, 361

radioactive elements, 367
radionuclides, 263, 367, 379, 416
rainfall, 246, 801
Rallus limicola, 361
Rankin Lake, Florida, 328
recruitment, 29, 118
red drum, 294, 318
red-breasted merganser, 361
regulatory limits, 718
remedial scenarios, 435
remediation, 435
residual fluxes, 14
residual current, 754
resource excavations, 652
resource partitioning, 659
resource utilization, 160
restoration, 118, 129, 246, 294
Rhabdosargus sarba, 29
Rhône River, 367
Rhône River delta, France, 52
Rhynchomonas sp., 613
river channel morphology, 263
river discharge, 379, 527, 540
River Ems, 527
river flooding, 246
river flow, 423
river mouth, 407
riverine discharge, 659
riverine pulsing, 52
riverine wetlands, 52
robust regression, 197
rotifers, 613
rough-winged swallow, 361
Roustan Bay, France, 367
royal tern, 361
ruddy turnstone, 361
runoff, 66
Ruppia maritima, 710
Rynchops niger, 361

Sado Estuary, Portugal, 635
Sagittaria lancifolia, 818
Sagittaria latifolia, 1, 818
Sagittaria platyphylla, 1
Salicornia, 767
Salicornia virginica, 818
salinity, 281, 379, 518, 597, 652, 801
salinity zones, 818

salt flux, 204
salt marshes, 622
salt wedge estuary, 801
saltmarsh tidal channels, 745
Samborombon Bay, Argentina, 690
San Diego Bay, California, 129
San Dieguito River, California, 246
San Dieguito Lagoon, California, 246
San Francisco Bay, California, 745
sciaenid fishes, 318
Sciaenops ocellatus, 294, 318
Scirpus, 52
Scirpus americanus, 818
Scirpus californicus/validus, 818
Scirpus robustus, 818
sea level, 754
sea-level rise, 52, 391
seagrass, 659, 710
seagrass habitat, 29, 673
seagrass meadows, 318
seasonal dynamics, 613
seasonal migrations, 449
seascape pattern, 784
secondary production, 230
sediment cores, 263
sediment texture, 197
sediment(s), 160, 197, 263, 367, 379, 391, 407, 416, 435, 466, 552, 635, 646, 659, 710, 745
sediment flux, 552
sediment transport, 14
sediment treatment, 646
sediment-water interface, 66, 552
sedimentary development, 391
sedimentation, 215, 367, 527, 540, 622
sedimentation cycles, 407
sedimentation dynamics, 52
seeds, 118
selenium, 78
semipalmated plover, 361
semipalmated sandpiper, 361
Sesbania drummondii/macrocarpa, 818
seston, 78, 552
Setaria geniculata, 818
Setaria magna, 818
shallow water, 731
Shannon-Weaver, 690
sharp-shinned hawk, 361
sharp-tailed sparrow, 361
shelf-break, 379
shell mining, 652
shorebirds, 700
short-billed dowitcher, 361
silver, 263, 423, 646
silver perch, 318
similarity indices, 690
simulation of bioturbation, 255
simulation model, 673
sinks, 673
smooth cordgrass, 108, 129, 767
snow geese, 1
snowy egret, 361
soft-bottom sediments, 466
soil bulk density, 416
solar heating, 281
Solidago sempervirens, 818
southern flounder, 476
Sparidae, 29
Spartina alterniflora, 108, 129, 361, 659, 767, 818
Spartina anglica, 129
Spartina cynosuroides, 818
Spartina foliosa, 129
Spartina patens, 767, 818
spatial variation, 263
spawning, 470
spawning dates, 307
species richness, 230
Spiophanes bombyx, 571
spot, 318, 476
spotted sandpiper, 361
spotted seatrout, 294, 318
spring tides, 204
Spumella sp., 613
standing dead grass, 108
standing stock, 449
Stelgidopteryx ruficollis, 361
Stentor coeruleus, 613
Sterna forsteri, 361
Sterna maxima, 361
Sterna antillarum 361
Streblospio benedicti, 294
striped bass, 307
Strombilidium gyrans, 613
Strombilidium sp., 613
Sturnus vulgaris, 361
subsidence, 416, 622
substrate characteristics, 710
subsurface hydrology, 767
summer flounder, 476
suspended matter, 518
suspended particulates, 552
suspended particulate matter, 597
Swan River, Western Australia, 801
Syngnathidae, 29
Syngnathus fuscus, 470, 731

Tachycineta bicolor, 361
Tagelus gibbus, 690
Tampa Bay, Florida, 294, 391
Tautoga onitis, 731
Tautogolabrus adspersus, 731
Tay Estuary, Scotland, 622
temperate shallow estuaries, 347
temperature-salinity states, 281
Terrebonne Basin, Louisiana, 818
terrestrial inputs, 215
tertiary platform carbonates, 391
tetrachlorodibenzo-para-dioxin, 646
tetrachlorodibenzofuran, 646
Tetraodonidae, 29
Thalassia testudinum, 318
Tharyx cf. *annulosus*, 294
Thelypteris palustris/Osmunda regalis, 818
theoretical box-models, 281
thorium-234, 263
tidal action, 635
tidal current velocity, 263
tidal flushing, 540
tidal flux, 204
tidal forcing, 204
tidal freshwater marsh, 407
tidal prism, 246
tides, 652, 754, 767
Tintinnidium cylindrata, 613
Tintinnidium fluviatile, 613
Tintinnidium sp., 613
Tomales Bay, California, 66
topographic surveys, 710
Topsail Island, North Carolina, 361
total nitrogen, 527
total phosphorus, 527
toxicity, 340
toxicology, 91
trace element speciation, 78
trace metals, 263, 423
trace organic contaminants, 718
transplanted eelgrass, 118
transport, 246, 597
transport processes, 754
trawl survey, 230
tree swallow, 361
Triadenum virginicum, 818
tributyltin, 340
Trichocerca pusilla, 613
tricolored heron, 361
Tringa flavipes, 361, 700
Tringa melanoleuca, 361
trophic relationship, 585
tropical systems, 540
Tubulanus polymorphus, 571
turbid estuary, 507
turbidity maximum, 597, 622
turbidity maximum zone, 263
turbidity zone, 518
Typha latifolia/domingensis, 818
Tyrannus tyrannus, 361

Uca uruguayensis, 690
unvegetated mudflat, 129
Upper Newport Bay, California, 129
uranium distributions, 379
urban estuary, 731
urea, 507
Uronema nigricans, 613
Urophycis regia, 731
Urotricha sp., 613

Vanella sp., 613
vegetation, 361
vegetation types, 818
velocity, 204
vertical accretion, 416
vertical flux coefficient, 435
Vigna luteola, 818
Virginia rail, 361
Virginia Coastal Reserve barrier island marsh, 767
Vorticella convallaria, 613
Vorticella microstoma, 613
Vorticella octava, 613

Wadden Sea, 585
Waquoit Bay, Cape Cod, Massachusetts, 347
wastewater, 560
water discharge, 379
water management, 361
water quality, 673, 837, 839
water quality criteria, 78
waterfowl, 1, 710
watershed(s), 246, 407
watershed history, 407
Wax Lake, Louisiana, 1
western sandpiper, 361
Western Australia, 801

wetland conservation, 129
wetland vegetation, 1
wetlands, 52, 818
whimbrel, 361
white ibis, 361
white shrimp, 160
white-rumped sandpiper, 700
widgeon grass, 710
wind-waves, 560
wintering sites, 700
wiregrass, 818
Woonasquatucket River, Rhode Island, 91
world prodigy, 91

X-radiography, 263

yellowlegs, 700
young-of-the-year fish, 731

Zenaida macroura, 361
zinc, 78, 263, 646
Zizaniopsis miliacea, 818
zoobenthos, 690
zooplankton, 449
Zostera marina, 118, 347, 659, 673